




EXALUM
METAL INDO PT






88010

T = 1.00 mm
W = 0.552 Kg/m
P = 385.871 mm

88910

T = 0.90 mm
W = 0.510 Kg/m
P = 388.038 mm




88020

T = 1.00 mm
W = 0.285 Kg/m
P = 197.149 mm

88920

T = 0.90 mm
W = 0.266 Kg/m
P = 198.750 mm




88030

T = 1.00 mm
W = 0.833 Kg/m
P = 568.716 mm

88930

T = 0.90 mm
W = 0.775 Kg/m
P = 572.865 mm




89040

T = 1.00 mm
W = 0.185 Kg/m
P = 135.347 mm


89041

T = 0.90 mm
W = 0.168 Kg/m
P = 135.750 mm




89040

T = 1.00 mm
W = 0.185 Kg/m
P = 135.347 mm




88101

T = 1.00 mm
W = 0.628 Kg/m
P = 441.951 mm




88102

T = 1.00 mm
W = 0.282 Kg/m
P = 195.996 mm




89040

T = 1.00 mm
W = 0.185 Kg/m
P = 135.347 mm




88301

T = 1.35 mm
W = 0.994 Kg/m
P = 535.170 mm




88303

T = 1.35 mm
W = 0.447 Kg/m
P = 242.858 mm




89802

T = 0.80 mm
W = 0.448 Kg/m
P = 352.267 mm



89805

T = 0.80 mm
W = 0.420 Kg/m
P = 374.429 mm




89801

T = 0.80 mm
W = 0.260 Kg/m
P = 221.257 mm


89911

T = 0.90 mm
W = 0.289 Kg/m
P = 222.553 mm



89041

T = 0.90 mm
W = 0.168 Kg/m
P = 135.750 mm




89920

T = 1.05 mm
W = 0.220 Kg/m
P = 144.051 mm

89921

T = 0.90 mm
W = 0.196 Kg/m
P = 146.053 mm




89930

T = 1.00 mm
W = 0.418 Kg/m
P = 290.875 mm

89931

T = 0.90 mm
W = 0.377 Kg/m
P = 204.430 mm




89040

T = 1.00 mm
W = 0.185 Kg/m
P = 135.244 mm

89041

T = 0.90 mm
W = 0.168 Kg/m
P = 135.750 mm




89050

T = 1.00 mm
W = 0.490 Kg/m
P = 351.122 mm


89803

T = 0.80 mm
W = 0.414 Kg/m
P = 361.912 mm




90101

T = 1.10 mm
W = 0.141 Kg/m
P = 80.495 mm




90102

T = 1.20 mm
W = 0.639 Kg/m
P = 379.962 mm




90103

T = 1.20 mm
W = 0.874 Kg/m
P = 417.914 mm




90104

T = 2.50 mm
W = 1.052 Kg/m
P = 344.589 mm




90105

T = 4.00 mm
W = 0.852 Kg/m
P = 171.657 mm




90106

T = 1.20 mm
W = 0.611 Kg/m
P = 277.770 mm




90107

T = 1.15 mm
W = 0.835 Kg/m
P = 484.300 mm




90108

T = 1.00 mm
W = 0.276 Kg/m
P = 206.000 mm




90109

T = 2.90 mm
W = 0.350 Kg/m
P = 105.859 mm




90111

T = 1.50 mm
W = 0.354 Kg/m
P = 176.712 mm




90112

T = 2.00 mm
W = 0.738 Kg/m
P = 298.107 mm




91002

T = 2.00 mm
W = 1.507 Kg/m
P = 556.000 mm




90113

T = 1.30 mm
W = 1.060 Kg/m
P = 558.483 mm




90110

T = 1.20 mm
W = 0.690 Kg/m
P = 372.800 mm




90114

T = 1.50 mm
W = 1.065 Kg/m
P = 520.762 mm



89809

T = 0.90 mm
W = 0.382 Kg/m
P = 280.229 mm



89810

T = 0.90 mm
W = 0.152 Kg/m
P = 124.356 mm

EXALUM

METAL INDO PT.

Jl. Kembangan Raya No.8
Kota Jakarta Barat 11610 - Indonesia

Tel : +6221 5890 9530/31

Email: sales@exalummetal.com

www.exalummetal.com

