





EXALUM
METAL INDO PT







SECTION	Ø (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
15093	12.00	4.40	0.285	47.752
50040	6.53	1.50	0.064	31.604
50052	8.00	0.80	0.049	45.239
50053	8.00	1.00	0.059	43.982
50090	8.00	1.20	0.069	42.726
50110	9.50	0.80	0.059	54.664
50111	9.50	0.90	0.066	54.035
50115	9.50	1.50	0.102	50.266
50130	9.50	1.20	0.085	52.150
50142	10.70	1.50	0.117	57.805
50143	10.00	1.00	0.077	56.549
50144	10.00	1.20	0.089	55.292
50150	11.00	0.80	0.069	64.089
50151	11.00	1.00	0.085	62.832
50152	12.70	0.90	0.090	74.142
50153	12.70	1.20	0.117	72.257
50155	12.00	1.40	0.126	66.602
50156	12.00	2.00	0.170	62.832
50157	12.00	4.40	0.285	47.752
50158	12.70	1.00	0.099	73.513
50211	15.00	1.40	0.162	85.451




SECTION	\varnothing (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
50220	14.00	1.20	0.131	80.425
50240	15.80	1.40	0.172	90.478
50241	15.80	1.50	0.183	89.850
50250	15.88	1.20	0.150	92.237
50251	15.88	0.90	0.115	94.122
50252	16.00	1.20	0.151	92.991
50253	15.88	1.00	0.127	93.494
50254	16.00	1.70	0.207	89.850
50255	16.00	3.00	0.332	81.681
50262	17.80	1.50	0.208	102.416
50263	18.00	2.00	0.272	100.531
50300	19.00	1.20	0.182	111.841
50301	19.00	0.90	0.139	113.726
50302	19.05	1.00	0.154	113.412
50310	19.00	1.50	0.223	109.956
50311	19.00	3.00	0.408	100.531
50312	19.00	2.00	0.289	106.814
50321	19.05	0.90	0.139	114.040
50322	19.00	2.80	0.386	101.788




SECTION	\varnothing (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
50352	20.00	1.50	0.236	116.239
50353	20.00	1.10	0.222	116.867
50355	20.00	2.00	0.307	113.097
50357	22.00	0.80	0.145	133.204
50360	22.00	1.50	0.262	128.805
50370	22.00	1.20	0.212	130.690
50380	22.00	1.80	0.310	126.920
50381	22.23	1.00	0.181	133.392
50383	22.00	2.00	0.341	125.664
50391	24.00	0.85	0.168	145.456
50392	23.00	0.80	0.151	139.487
50400	25.00	0.90	0.185	151.425
50410	25.00	1.00	0.204	150.796
50411	25.00	1.15	0.234	149.854
50420	25.00	1.20	0.243	149.540
50421	25.00	1.40	0.281	148.283




SECTION	Ø (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
50430	25.00	2.00	0.392	144.513
50440	25.00	1.50	0.300	147.655
50450	25.40	1.00	0.208	153.310
50480	25.00	1.80	0.356	145.770
50490	28.40	1.40	0.322	169.646
50500	25.40	1.00	0.208	153.310
50501	25.40	1.70	0.343	148.912
50510	26.00	1.60	0.332	153.310
50512	25.40	1.20	0.247	152.053
50515	25.40	1.50	0.305	150.168
50520	26.00	1.30	0.273	155.195
50522	26.00	1.60	0.332	153.310
50523	28.40	1.20	0.277	170.903
50530	30.00	1.20	0.294	180.956
50531	30.00	2.00	0.477	175.929
50533	30.00	1.50	0.364	179.071
50534	30.00	1.85	0.433	176.872
50540	31.75	2.00	0.507	186.925
50541	31.75	1.20	0.312	191.951
50542	31.70	0.85	0.223	193.836
50543	35.00	2.20	0.614	206.089




SECTION	Ø (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
50544	32.00	1.40	0.365	192.266
50545	32.00	4.00	0.954	175.929
50546	34.50	4.50	1.149	188.490
50547	35.00	2.00	0.562	207.345
50549	37.00	4.00	1.124	207.345
50550	38.00	1.20	0.376	231.221
50551	38.00	2.00	0.612	226.195
50552	38.00	1.50	0.466	229.336
50560	40.00	1.80	0.585	240.018
50561	40.00	2.00	0.647	238.761
50580	32.00	3.00	0.741	182.212
50600	50.80	1.00	0.424	312.903
50602	50.80	2.00	0.831	306.619
50604	59.80	1.50	0.745	366.310
50701	76.20	1.00	0.640	472.496
50710	90.00	1.20	0.907	557.947
50900	33.70	2.40	0.640	196.664
51000	44.00	1.50	0.542	267.035
51100	63.50	1.00	0.532	392.700
51110	65.00	21.00	7.866	276.460
51114	16.00	2.00	0.238	87.965




SECTION	Ø (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
55010	20.00	0.60 / 0.90	0.113	120.940
55020	24.20	0.70 / 1.20	0.161	154.332
55021	24.20	0.80 / 1.30	0.180	153.704
55022	23.00	0.60 / 0.90	0.125	142.988
55023	24.00	0.60 / 0.90	0.130	149.212
55024	23.00	0.55 / 0.95	0.116	149.234
55040	25.20	0.90 / 1.40	0.223	155.401




SECTION	Ø (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
55041	25.00	0.50 / 1.40	0.206	161.598




SECTION	Ø (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
55030	27.70	1.00	0.326	92.310




SECTION	A (mm)	B (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
55212	36.51	36.51	0.80	0.266	243.041



SECTION	Ø (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
55043	25.00	0.95	0.210	84.280
55044	25.00	1.00	0.220	84.280



SECTION	Ø (mm)	Ø1 (mm)	W (Kg/m)	Perimeter (mm)
55222	25.00	7.00	1.030	116.912



SECTION	A (mm)	B (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
55050	29.70	15.10	0.80/1.30	0.205	150.637

EXALUM

METAL INDO PT.

Jl. Kembangan Raya No.8
Kota Jakarta Barat 11610 - Indonesia

Tel : +6221 5890 9530/31

Email: sales@exalummetal.com



www.exalummetal.com