





EXALUM
METAL INDO PT







SECTION	Ø (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
55010	20.00	0.60 / 0.90	0.113	120.940
55020	24.20	0.70 / 1.20	0.161	154.332
55021	24.20	0.80 / 1.30	0.180	153.704
55022	23.00	0.60 / 0.90	0.125	142.988
55023	24.00	0.60 / 0.90	0.130	149.212
55024	23.00	0.55 / 0.95	0.116	149.234
55040	25.20	0.90 / 1.40	0.223	155.401




SECTION	Ø (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
55041	25.00	0.50 / 1.40	0.206	161.598




SECTION	Ø (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
55030	27.70	1.00	0.326	92.310




SECTION	A (mm)	B (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
55212	36.51	36.51	0.80	0.266	243.041



SECTION	Ø (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
55043	25.00	0.95	0.210	84.280
55044	25.00	1.00	0.220	84.280



SECTION	Ø (mm)	Ø1 (mm)	W (Kg/m)	Perimeter (mm)
55222	25.00	7.00	1.030	116.912



SECTION	A (mm)	B (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
55050	29.70	15.10	0.80/1.30	0.205	150.637

EXALUM

METAL INDO PT.

Jl. Kembangan Raya No.8
Kota Jakarta Barat 11610 - Indonesia

Tel : +6221 5890 9530/31

Email: sales@exalummetal.com

www.exalummetal.com

