





EXALUM
METAL INDO PT




**60010**


T = 0.70 mm
R = 8.50 mm
W = 0.206 Kg/m
P = 217.404 mm

**60021**


T = 0.70 mm
R = 8.50 mm
W = 0.163 Kg/m
P = 171.404 mm

**60023**


T = 0.70 mm
W = 0.178 Kg/m
P = 187.404 mm

**60031**


T = 0.70 mm
R = 8.50 mm
W = 0.140 Kg/m
P = 147.404 mm

**60025**


$T = 0.80 \text{ mm}$
 $W = 0.232 \text{ Kg/m}$
 $P = 226.905 \text{ mm}$

**60027**

$T = 0.70 \text{ mm}$
 $W = 0.190 \text{ Kg/m}$
 $P = 201.873 \text{ mm}$


**60035**

$T = 1.20 \text{ mm}$
 $W = 0.437 \text{ Kg/m}$
 $P = 270.475 \text{ mm}$




60041

$T = 0.70 \text{ mm}$
 $R = 1.00 \text{ mm}$
 $W = 0.144 \text{ Kg/m}$
 $P = 151.567 \text{ mm}$



60081

$T = 0.70 \text{ mm}$
 $R = 1.00 \text{ mm}$
 $W = 0.122 \text{ Kg/m}$
 $P = 128.178 \text{ mm}$




60050

$T = 0.70 \text{ mm}$
 $R = 8.00 \text{ mm}$
 $W = 0.210 \text{ Kg/m}$
 $P = 222.233 \text{ mm}$


60060

$T = 0.70 \text{ mm}$
 $R = 2.50 \text{ mm}$
 $W = 0.215 \text{ Kg/m}$
 $P = 226.954 \text{ mm}$




60051

$T = 0.70 \text{ mm}$
 $R = 2.50 \text{ mm}$
 $W = 0.216 \text{ Kg/m}$
 $P = 227.154 \text{ mm}$




60070


$T = 0.70 \text{ mm}$
 $R = 2.50 \text{ mm}$
 $W = 0.253 \text{ Kg/m}$
 $P = 266.954 \text{ mm}$

**60072**


T = 0.70 mm
R = 8.50 mm
W = 0.249 Kg/m
P = 262.089 mm

**60090**


T = 0.70 mm
R = 2.50 mm
W = 0.241 Kg/m
P = 146.750 mm

**60100**


T = 0.70 mm
R = 8.00 mm
W = 0.236 Kg/m
P = 144.370 mm

**60140**


T = 0.80 mm
W = 0.184 Kg/m
P = 167.665 mm

**60141**

T = 0.80 mm
W = 0.228 Kg/m
P = 237.268 mm


**60142**

T = 3.00 mm
W = 1.436 Kg/m
P = 358.375 mm




60320

$T = 0.70 \text{ mm}$
 $W = 0.296 \text{ Kg/m}$
 $P = 312.874 \text{ mm}$




60330

$T = 0.70 \text{ mm}$
 $W = 0.288 \text{ Kg/m}$
 $P = 305.430 \text{ mm}$




60331

$T = 0.70 \text{ mm}$
 $W = 0.296 \text{ Kg/m}$
 $P = 313.510 \text{ mm}$




60410

$T = 0.80 \text{ mm}$
 $W = 0.439 \text{ Kg/m}$
 $P = 408.760 \text{ mm}$




60420

$T = 0.75 \text{ mm}$
 $W = 0.458 \text{ Kg/m}$
 $P = 454.360 \text{ mm}$




60421

$T = 0.75 \text{ mm}$
 $W = 0.442 \text{ Kg/m}$
 $P = 438.482 \text{ mm}$




60510

T = 0.80 mm
W = 0.126 Kg/m
P = 114.912 mm




60520

T = 1.00 mm
W = 0.109 Kg/m
P = 54.251 mm



60530

T = 0.80 mm
W = 0.085 Kg/m
P = 51.594 mm




60541

T = 0.70 mm
W = 0.113 Kg/m
P = 107.876 mm


60542

T = 0.80 mm
W = 0.126 Kg/m
P = 107.220 mm




60551

T = 0.70 mm
W = 0.096 Kg/m
P = 105.680 mm



60560


T = 1.00 mm
W = 0.234 Kg/m
P = 174.083 mm

**60571**


$T = 0.70 \text{ mm}$
 $W = 0.115 \text{ Kg/m}$
 $P = 121.842 \text{ mm}$

60572

$T = 0.80 \text{ mm}$
 $W = 0.131 \text{ Kg/m}$
 $P = 121.627 \text{ mm}$

**60591**

$T = 0.70 \text{ mm}$
 $W = 0.103 \text{ Kg/m}$
 $P = 99.408 \text{ mm}$




60620

$T = 0.80 \text{ mm}$

$W = 0.375 \text{ Kg/m}$

$P = 342.454 \text{ mm}$



60630

$T = 0.80 \text{ mm}$

$W = 0.384 \text{ Kg/m}$

$P = 351.225 \text{ mm}$

EXALUM

METAL INDO PT.

Jl. Kembangan Raya No.8
Kota Jakarta Barat 11610 - Indonesia

Tel : +6221 5890 9530/31

Email: sales@exalummetal.com

www.exalummetal.com

