





EXALUM
METAL INDO PT







SECTION	A (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
40012	11.50	0.80	0.093	85.600
40013	12.00	1.00	0.119	88.000
40014	12.00	0.90	0.108	88.800
40015	12.70	1.30	0.161	91.200
40030	15.88	1.20	0.191	117.440
40031	15.80	1.00	0.160	118.400
40032	15.88	1.00	0.161	119.040
40034	16.00	2.00	0.303	112.000
40050	19.00	1.50	0.285	140.000
40059	20.00	1.20	0.244	150.400
40070	22.00	1.20	0.271	166.400
40080	22.00	1.50	0.333	164.000
40100	25.00	1.20	0.310	190.400
40101	25.00	0.80	0.210	193.600
40110	25.00	1.50	0.382	188.000




SECTION	A (mm)	T (mm)	W (Kg/m)	Perimeter (mm)
40111	25.40	0.90	0.239	196.000
40112	25.40	1.00	0.264	195.200
40120	40.00	1.20	0.505	310.400
40121	40.00	0.90	0.381	152.800
40122	40.00	1.00	0.423	312.000
40123	50.00	3.50	1.764	372.000
40124	40.00	4.00	1.561	288.000
40126	40.00	1.50	0.626	308.000
40127	40.00	1.80	0.751	305.600
40129	50.00	3.00	1.540	376.000
40130	38.10	1.50	0.596	292.800
40131	38.10	1.00	0.402	296.800
40141	20.00	1.40	0.282	148.800
40151	38.10	1.20	0.480	295.200
40190	37.00	0.90	0.352	288.800
40200	30.00	1.20	0.374	230.400
47016	19.00	1.20	0.232	142.400
47123	30.00	2.00	0.607	224.000
47151	30.00	3.05	0.980	215.600



SECTION	A (mm)	T (mm)	R (mm)	W (Kg/m)	Perimeter (mm)
40051	19.00	1.00	2.00	0.188	138.850
40062	20.00	2.00	1.50	0.390	138.850
40063	20.00	3.00	0.50	0.552	135.142
40102	25.00	1.20	1.00	0.307	188.683
40113	25.00	2.00	0.70	0.498	182.798
40119	40.00	1.50	0.70	0.625	306.798
40121	40.00	0.90	0.30	0.381	312.285
40140	20.00	1.40	1.00	0.280	147.083
40150	38.10	0.90	0.30	0.363	297.085



SECTION	A (mm)	T (mm)	R (mm)	W (Kg/m)	Perimeter (mm)
47000	15.00	1.20	2.00	0.171	105.593
47001	44.45	1.20	2.00	0.555	341.193
47002	50.00	1.50	2.00	0.780	383.708
47003	19.00	1.20	2.00	0.224	137.593
47004	19.00	1.45	2.00	0.267	136.022
47005	60.00	2.00	2.00	1.248	460.566
47006	19.05	1.00	0.70	0.195	143.198
47007	25.00	1.00	0.70	0.259	190.798
47008	30.00	1.40	2.00	0.426	224.336
47009	19.00	1.20	0.70	0.230	141.198
47010	19.00	1.50	2.00	0.276	135.708
47011	50.00	1.20	2.50	0.624	383.876
47014	100.00	2.00	2.00	3.154	769.130
47017	20.00	1.40	1.00	0.280	147.083
47030	15.88	1.00	0.70	0.160	116.637
47032	19.00	1.00	2.00	0.188	138.850
47103	25.00	1.40	1.00	0.356	187.083
47104	25.00	1.20	2.00	0.301	185.593
47105	25.00	1.00	2.00	0.253	186.850
47110	25.40	1.50	3.00	0.373	183.474



SECTION	A (mm)	T (mm)	R (mm)	W (Kg/m)	Perimeter (mm)
47120	40.00	2.00	2.00	0.814	300.566
47121	40.00	1.50	2.00	0.617	303.708
47122	40.00	1.50	0.70	0.625	306.798
47125	30.00	2.00	2.00	0.598	220.570
47140	20.00	1.40	1.00	0.280	147.080
47141	20.00	1.50	2.00	0.292	144.566
47142	20.00	1.20	2.00	0.237	145.593
47143	20.00	2.00	2.00	0.381	140.223
47145	16.00	1.00	2.00	0.156	114.850
47146	30.00	1.20	2.00	0.367	225.593
47147	40.00	1.20	2.00	0.497	305.593
47150	76.20	2.00	2.00	1.608	586.732

EXALUM

METAL INDO PT.

Jl. Kembangan Raya No.8
Kota Jakarta Barat 11610 - Indonesia

Tel : +6221 5890 9530/31

Email: sales@exalummetal.com

www.exalummetal.com

